SEQUENCE LISTING

- <110> CHAIN, Daniel G.
- <120> RECOMBINANT ANTIBODIES SPECIFIC FOR BETA-AMYLOID ENDS, DNA ENCODING AND METHODS OF USE THEREOF
- <130> CHAIN1B
- <140> 00
- <141> 1999-10-12
- <150> PCT/US98/06900
- <151> 1998-04-09
- <150> 60/041,850
- <151> 1997-04-09
- <160> 8
- <170> PatentIn Ver. 2.0
- <210> 1
- <211> 59
- <212> PRT
- <213> Homo sapiens
- <400> 1
- Glu Val Lys Met Asp Ala Glu Phe Arg His Asp Ser Gly Tyr Glu Val
- His His Gln Lys Leu Val Phe Phe Ala Glu Asp Val Gly Ser Asn Lys 20 25 30
- Gly Ala Ile Ile Gly Leu Met Val Gly Gly Val Val Ile Ala Thr Val
- Ile Val Ile Thr Leu Val Met Leu Lys Lys Lys 50 55
- <210> 2
- <211> 6
- <212> PRT
- <213> Artificial Sequence
- <220>
- <223> Description of Artificial Sequence: HUMAN PEPTIDE

WITH ARTIFICIAL TERMINAL CYSTEINE RESIDUE

```
<400> 2
Asp Ala Glu Phe Arg Cys
  1
                   5
<210> 3
<211> 8
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: HUMAN PEPTIDE
      WITH ARTIFICIAL TERMINAL CYSTEINE RESIDUE
<400> 3
Asp Ala Glu Phe Arg His Asp Cys
                  5
  1
<210> 4
<211> 8
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: HUMAN PEPTIDE
      WITH ARTIFICIAL TERMINAL CYSTEINE RESIDUE
<400> 4
Cys Leu Met Val Gly Gly Val Val
<210> 5
<211> 8
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: HUMAN PEPTIDE
      WITH ARTIFICIAL TERMINAL CYSTEINE RESIDUE
<400> 5
Cys Val Gly Gly Val Val Ile Ala
                  5
```

```
The first construction grown signs in many prior gar from the first firs
```

```
<210> 6
<211> 6
<212> PRT
<213> Homo sapiens
<400> 6
Asp Ala Glu Phe Arg His
  1
<210> 7
<211> 13
<212> PRT
<213> Homo sapiens
<400> 7
Glu Ile Ser Glu Val Lys Met Asp Ala Glu Phe Arg His
                  5
<210> 8
<211> 4
<212> PRT
<213> Homo sapiens
<400> 8
Glu Phe Arg His
  1
```